

Rolled Products

Tread Plates	9
Flat Sheets	11
European Lloyds certified 5083	11a
Heavy Gauge Flat Sheets	12
Plate	13

Updates


Due to continuous product development, some information may have been updated since the time of publishing this manual. Altus reserves the right to amend specifications and make changes to products without prior notice and without incurring any obligation. Altus accepts no responsibility for loss or consequential loss due to inaccuracies at the time of publishing or of subsequent changes made. Altus will keep www.altus.co.nz updated. The manual is subject to copyright by the proprietors, Altus NZ Ltd.

The information contained in this catalogue is true and correct to the best of our knowledge. Any recommendations or specifications are made without guarantee on the part of Altus NZ Ltd. Altus NZ Ltd disclaim any liability in connection with the use of this information.

© 2018 All Rights Reserved.

Treadplates

Rolled Products




T = Thickness (mm)	W = Width (mm)	L = Length (mm)	Alloy Temper	Finish	Weight per sheet	Product	Ex Stock
1.6	1200	2400	B3003 H22	Bright	12.49	Propeller bright	✓
2.0	1200	2400	5052 H114	MF	15.61	5 Bar marine	✓
3.0	1200	2400	5052 H114	MF	23.41	5 Bar marine	✓
3.0	1500	3600	5052 H114	MF	43.90	5 Bar marine	✓
4.0	1200	2400	5052 H114	MF	31.22	5 Bar marine	✓
4.0	1500	3600	5052 H114	MF	58.54	5 Bar marine	✓
4.0	1500	4800	5052 H114	MF	76.90	5 Bar marine	✓
5.0	1200	2400	5052 H114	MF	39.02	5 Bar marine	✓
5.0	1500	3600	5052 H114	MF	73.17	5 Bar marine	•
6.0	1200	2400	5052 H114	MF	46.83	5 Bar marine	✓
6.0	1500	3600	5052 H114	MF	87.80	5 Bar marine	•
8.0	1200	2400	5052 H114	MF	62.44	5 Bar marine	✓

Base Thickness = As Above. Approx Total Thickness = Add 1.0-1.5mm

* Please ask regarding the ex stock availability
 Indent available for alternative sizes and thickness

Flat Sheets


Rolled Products



T = Thickness (mm)	W = Width (mm)	L = Length (mm)	Alloy temper	Finish	Weight per sheet	Ex Stock
0.9	1200	2400	5005 H34	MF	7.02	✓
0.9	1200	3600	5005 H34	MF	10.54	✓
1.2	1200	2400	5005 H34	MF/PE	9.37	✓
1.2	1200	3000	5005 H32	MF	11.71	✓
1.2	1200	3600	5005 H32	PE	14.05	•
1.5	1200	2400	5005 H32	PE	11.71	•
1.5	1200	3600	5005 H32	PE	17.56	✓
1.5	1500	3000	5005 H32	PE	18.29	✓
1.6	1200	2400	5005 H34	MF	12.49	✓
2.0	900	2400	5052 H34	MF	11.71	✓
2.0	1200	2400	5005 H32	PE	15.61	✓
2.0	1200	2400	5005 H34	MF	15.61	✓
2.0	1200	2400	5052 H32	PE	15.61	✓
2.0	1200	3000	5005 H32	PE	19.51	•
2.0	1200	3600	5005 H32	PE	23.41	✓
2.0	1500	3000	5005 H32	PE/Laser	24.39	✓
2.0	1500	3000	5052 H32	MF	24.39	✓
2.5	900	2400	5052 H34	MF	14.63	✓
2.5	1200	2400	5052 H34	PE	19.51	✓
2.5	1200	2400	5052 H32	PE	19.51	✓
2.5	1200	4800	5052 H34	PE	39.02	✓
2.5	1500	3000	5052 H32	PE	30.49	✓
3.0	1200	2400	5052 H32	PE	23.41	✓
3.0	1200	2400	5005 H32	PE	23.41	✓
3.0	1200	2400	5005 H34	PE	23.41	✓
3.0	1200	3000	5005 H32	PE	29.27	•
3.0	1200	3000	5052 H32	MF	29.27	✓
3.0	1500	2500	5052 H32	PE	30.38	✓
3.0	1500	3000	5005 H32	PE	36.59	✓
3.0	1500	3000	5052 H32	PE/Laser	36.59	✓
3.0	1500	3600	5052 H32	PE	43.90	✓
3.0	1200	4800	5052 H32	PE	46.83	✓
3.0	1200	6100	5052 H32	PE	59.51	✓
3.0	1830	3050	5052 H32	PE	45.37	✓
3.0	1830	6100	5052 H32	PE	90.76	✓
3.0	1830	6100	5083 H321	PE	90.76	✓

* Please ask regarding the ex stock availability
 Indent available for alternative sizes and thickness

European Lloyds certified 5083




T = Thickness (mm)	W = Width (mm)	L = Length (mm)	Alloy temper	Finish	Weight per sheet	Ex Stock
3.0	1830	6100	5083 H321	PE	90.76	•
4.0	1680	3050	5083 H321	PE	55.54	✓
4.0	1200	6100	5083 H321	PE	79.35	✓
4.0	1830	6100	5083 H321	MF/PE	121.01	✓
4.0	2000	7500	5083 H116	PE	162.60	•
4.0	1680	9000	5083 H321	MF	163.90	•
5.0	1830	6100	5083 H321	MF/PE	151.26	✓
6.0	1830	6100	5083 H321	PE	181.51	✓
8.0	1200	2400	5083 H321	MF	62.44	•
8.0	1830	6100	5083 H116	MF	242.01	✓

* Please ask regarding the ex stock availability
 Indent available for alternative sizes and thickness

Heavy Gauge Flat Sheets

Rolled Products




T = Thickness (mm)	W = Width (mm)	L = Length (mm)	Alloy temper	Finish	Weight per sheet	Ex Stock
4.0	1200	2400	5052 H32	PE	31.22	✓
4.0	1200	2400	5083 H321	MF	31.22	✓
4.0	1200	6100	5083 H321	PE	79.35	✓
4.0	1500	3000	5052 H32	PE/Laser	48.78	✓
4.0	1680	7500	5083 H321	PE	136.58	✓
4.0	1680	9000	5083 H321	MF	163.90	✓
4.0	1830	6100	5052 H32	PE	121.01	✓
4.0	1830	6100	5083 H321	PE	121.01	✓
4.0	1830	7100	5052 H32	MF	140.84	✓
4.0	2000	6000	5083 H321	PE	130.08	✓
4.0	2000	7500	5083 H116	PE	162.00	✓
5.0	1200	2400	5052 H32	MF	39.02	✓
5.0	1200	2400	5083 H321	PE	39.02	✓
5.0	1200	6100	5083 H321	PE	99.19	✓
5.0	1500	3000	5052 H32	PE	60.98	✓
5.0	1830	2500	5083 H321	MF	51.54	✓
5.0	1830	6100	5083 H321	PE	151.26	✓
5.0	2000	7500	5083 H321	PE	203.25	✓

* Please ask regarding the ex stock availability
 Indent available for alternative sizes and thickness

Plates

Rolled Products



T = Thickness (mm)	W = Width (mm)	L = Length (mm)	Alloy temper	Finish	Weight per sheet	Ex Stock
6.0	1200	2400	5052 H32	MF/PE	46.83	✓
6.0	1200	2400	5083 H321	PE	46.83	✓
6.0	1500	3000	5052 H32	PE	73.17	✓
6.0	1200	6100	5083 H321	PE	119.02	✓
6.0	1830	6100	5083 H321	PE	181.51	✓
6.0	2000	7500	5083 H321	PE	243.90	✓
8.0	1200	2400	5083 H321	MF	62.44	✓
8.0	1500	3000	5052 H32	PE	97.56	•
8.0	1830	6100	5083 H116	MF	242.01	✓
10.0	1200	2400	5083 H321	MF	78.05	✓
10.0	1830	6100	5083 H321	MF	302.52	✓
12.0	1200	2400	5083 H321	MF	93.66	✓
12.0	1220	2440	6061 T651	MF	96.81	✓
12.0	1830	6100	5083 H321	MF	363.02	✓
16.0	1200	2400	5083 H321	MF	124.88	✓
16.0	1524	3650	6061 T651	MF	241.19	✓
20.0	1524	3650	6061 T651	MF	301.49	✓
25.0	1524	3650	6061 T651	MF	376.87	✓
32.0	1524	3650	6061 T651	MF	482.39	✓
40.0	1524	3650	6061 T651	MF	602.99	✓
50.0	1524	3650	6061 T651	MF	753.73	✓
65.0	1524	3650	6061 T651	MF	979.85	✓
80.0	1524	3650	6061 T651	MF	1205.97	✓
100.0	1525	3650	6061 T651	MF	1508.45	✓
114.0	1525	3000	6061 T651	MF	1413.40	✓
127.0	1525	3650	6061 T651	MF	1915.74	✓
152.4	1536	3670	6061 T6511	MF	2328.15	✓
203.0	1400	2800	6061 T6	MF	2156.51	✓
254.0	1400	2800	6061 T6	MF	2698.29	✓

Plate offcuts & cut to size service available refer to offcuts web page or contact us

* Please ask regarding the ex stock availability
Indent available for alternative sizes and thickness